FILE WOTATIONS Checked by Chief Entered in NID File Approval Letter Location Map Pinned ... Disapproval Letter Card Indexed COMPLETION DATA: Date Well Completed 1910,179 Location Inspected Bond released OW. TA. Y State or Fee Land .. OS.... PA.. Electric Logs (No.) No. lan run E..... I..... Dual I Lat.... GR-N..... Micro.... BHC Squic GR..... Lat..... Mi-L.... Sonic... CBLog..... CCLog..... Others....

CCCo

1967 East 2700 South Salt Lake City, Utah 84106

Telephone: (801) 485-1000 268-8000

Division of Oil, Gas, & Mining 1588 West North Temple Salt Lake City, Utah 84116

Attn: Mr. Cleon Feight

Director



September 16, 1977

Gentlemen:

Enclosed please find sundry notice rquesting clearance from the U. S. G. S., and U. S. Bureau of Land Management to survey the location of the Vukosovich-Nuggett 14-3 Well location. This location will be in the SW4NW4NW4, Section 14, Township 21 South, Range 23 East, SLB&M, Grand County, Utah. This location is consistant with the gas spacing order 102-2 which stipulates 160 acre gas spacing.

Also enclosed is a plat of the entire area showning the relative positions of the Buckhorn-Adak 14-1 Well, Buckhorn-Nuggett 14-2, and the Vukosovich-Nuggett 14-3 well sites. As you can readily determine all of the sites are consistant with the spacing order and will allow for the best recovery of hydrocarban substances.


Sincerely.

Dean H. Christensen


Beneral Manager



8. I hereby certify that the foregoing signed (This space for Federal or State off	the L	мутьк General Manager	DATE 9/16/77
PO GAS TO THE	(c.)		
SEP 18 1917			
RECEIVED TO THE SEP 10 TO THE			
RECEIVED TO ONLY			
SEP 18 ININE DIVISION OF OIL CASE & MINING			
REPLOTON OF ONL			
RILINE IN THE			
			and the second s
			and the second of the second o
	Section County		Range 23 East, SLB&M, Grand
	990 Soi	uth of the North Line, 33	O' East of the West Line
*1	CLEARANCE TO	STAKE WELL LOCATION AS F	OLLOWS:
7. DESCRIBE PROPOSED OR COMPLETED OF	ERATIONS (Clearly state	pull pertinent datally and clee portinent	dates, including estimated date of starting any vertical depths for all markers and zones perti-
(Other) PERMISSION TO S	CHANGE PLANS URVEY LOCATION	(Other)(Note: Report r	results of multiple completion on Well ecompletion Report and Log form.)
SHOOT OR ACIDIZE	ABANDON*	FRACTURE TREATMENT SHOOTING OR ACIDIZING	G ABANDONMENT*
TEST WATER SHUT-OFF FRACTURE TREAT	PULL OR ALTER CASING MULTIPLE COMPLETE		REPAIRING WELL
NOTICE OF INTE			UBSEQUENT REPORT OF:
3. Check A	ppropriate Box To	Indicate Nature of Notice, Report,	, or Other Data
	- Control (Bill)	uni cuc.;	Grand Utah
4, PERMIT NO.	15. ELEVATIONS (Sho	ow whether DF, RT, GR, etc.)	SW2NW2NW2 12. COUNTY OR PARISH 13. STATE
			Sec 14, T21S, R23E, SLE
West Line, SLB&M Gra	outh of the No	orth Line, 330' East of t	the Undesignated 11. SEC., T., E., M., OR BLE. AND
1967 East 2700 South Location of WELL (Report location See also space 17 below.)			Vukosovich-Nuggett 14-
ADDRESS OF OPERATOR	C-7:		9. WELL NO.
CCCo			8, FARM OR LEASE NAME
WE'L WELL XX OTHER			
	ATION FOR PERMIT	for such proposals.)	7. UNIT AGREEMENT NAME
	sals to drill or to deep	PORTS ON WELLS pen or plug back to a different reservoir.	
To not use this form for prope Use "APPLIC	TICES AND RE		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NO	GEOLOGICAL SU	IRVFY	11 02750
To not use this form for prope Use "APPLIC	TICES AND RE		



WELL LOCATION PLAT



これは方式でいない。これ

J. N91963

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

ABANDON*

CHANGE PLANS

SUBMIT IN TRIPLICA (Other instructions on

Form approved. Budget Bureau No. 42-R1424.

ABANDONMENT*

GEOLOGICA	AL SURVEY		U-03759	THE SERVICE NO.					
SUNDRY NOTICES AND (Do not use this form for proposals to drill or Use "APPLICATION FOR PE		S	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME					
OIL GAS WELL AT OTHER		7	. UNIT AGREEMENT NAM	110					
2. NAME OF OPERATOR		8	3. FARM OR LEASE NAME	6					
CCCo									
3. ADDRESS OF OPERATOR		9	. WELL NO.						
1967 East 2700 South Salt Lak	e City, Utah 84106	v	ulosovich-Nug	gett 14-3					
See also space 17 below.) At surface 990' South of t	LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)								
14. PERMIT NO. 15. ELEVATIO	NS (Show whether DF, RT, GR, etc.)		WANWA 12. COUNTY OR PARISH	13. STATE					
	4418' gr.	G	irand	Utah					
16. Check Appropriate Bo	ox To Indicate Nature of Not	ice, Report, or Oth	er Data						
NOTICE OF INTENTION TO:		SUBSEQUEN	T REPORT OF:						
TEST WATER SHUT-OFF PULL OR ALTER FRACTURE TREAT MULTIPLE COM		SHUT-OFF E TREATMENT	REPAIRING W						

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

A topographical exception is herewith requested for the above referenced well and location. At the direction of the BLM Surface protection Specialish, Moab District, the above location is modified as follows:

> Move 193' south plus 26 degrees west, resulting in the following: 1163.5' South of the North Line, 260.8' East of the West Line, Section 14, T21S, R23E, Grand County, Utah.

SHOOTING OR ACIDIZING

(Other)

	7		
SIGNED SIGNED	Vice President	DATE _	10/14/77
(This space for Federal or State office use)			
APPROVED BY	TITLE	DATE _	

U.S. GEOLOGICAL SURVEY, COMSERVATION DIVISION

FROM:

Well

DISTRICT GEOLOG T, SALT LAKE CITY, UTAH

Lease No.

DISTRICT ENGINEER, SALT LAKE CITY, UTAH TO:

Location

CCCo. Vukosovich-Nugget 14-3		Section 14 (nw nw) T. and Co., Utah GR. 44	
1. Stratigraphy and Pot Oil and Gas Horizons	ential Surface- 736- 820 930 1010 1150	Mancos Shale Dakota Sandstone Cedar Mt. Formatio Buckhorn Member Morrison Fm. Salt Wash Member	Possible gas on Possible Oil& Gas Possible Oil & Gas Possible Gas

- 2. Fresh Water Sands. Some fresh water may be found in the Dakota Sandstone and sands within the Cedar Mt. Formation.
- Other Mineral Bearing Formations. The Morrison Formation may contain Uranium (Coal, Oil Shale, Potash, Etc.)
- 4. Possible Lost Circulation Zones. Waknown
- Other Horizons Which May Need Special Unknown Mud, Casing, or Cementing Programs.
- Possible Abnormal Pressure Zones and Temperature Gradients. High pressure could be encountered in the Morrison Formation.
- 7. Competency of Beds at Proposed Casing Setting Points. Should be competent
- Additional Logs or Samples Needed. Gamma log through the Morrison Fm. would be desirable
- References and Remarks $_{Located\ within\ \ \ mile}$ of the Cisco Wash KGS Ref.: USGS Map I-360, USGS Files Salt Lake City, Utah

Date: October 17, 1977

it and L

CONDITIONS OF APPROVAL, IF ANY ;

UNITED STATES DEPARTMENT OF THE INTERIOR

**************************************		01 1112 11		(IOI)		5. LEASE DESIGNATION	and serial no.
	GEO	U-03759					
APPLICATION	V FOR PERMI	6. IF INDIAN, ALLOTTEE OR TRIBE NAME					
a. TYPE OF WORK		• • • •				7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
DRI b. TYPE OF WELL	ILL 🖾	DEEPEN [PLUG BAC	K 🗌	7. UNIT AGREEMENT N	/MB
•	AS CONTRACTOR			NGLE XX MULTIPE		S. FARM OR LEASE NAM	
WELL W NAME OF OPERATOR	ELI, (A) OTHER		7.0	NR CA ZONE		Vukosovich	•
CCCo						9. WELL NO.	
. ADDRESS OF OPERATOR						Vukosovich-N	unnett 14_3
1967 East	2700 South.	Salt Lake Cit	v. II	tah 84106		10. FIRLD AND POOL, O	
L LOCATION OF WELL (R.	eport location clearly	and in accordance wit	ligan y	Late requirements.*)		Wildcat	
At surface	South of the	North Line	JAP T	ast of West Lin	ie .		LK.
At proposed prod zon	Section 14	. T21S. R23F.	SLR	&M Grand County	,	11. SEC., T., R., M., OR E AND SUBVEY OR AR	
116	04' FNL 4 961'	FUL SW NW	MM	&M Grand County	•	Section14, 1	21S,R23E SLB&
4. DISTANCE IN MILES	AND DIRECTION FROM I	NEAREST TOWN OR POST	r O FFICI	man a communication of the second of the sec		12. COUNTY OR PARISH	13. STATE
2 Miles E	ast of Cisco,	Utah.				Grand	Utah
5. DISTANCE FROM PROPE LOCATION TO NEAREST	esed*	Married at 1980 to 198	16. NO	OF ACRES IN LEASE	17. NO. 0	F ACREN ANSIGNED	
PROPERTY OR LEASE L. (Also to nearest drig	INE, PT.	330		240.0 acres	TOTI	160 ac	res
8. DISTANCE FROM PROP	OSED LOCATION	And the second s		OPOSED DEPTH	20. ROTAL	RY OR CABLE TOOLS	
OR APPLIED FOR, ON THE	IS LEASE, FT.	2800'		1250'	Ro	tary	
1. ELEVATIONS (Show who	ether DF, RT, GR, etc.)			<u>'</u>	22. APPROX. DATE WO	EK WILL START
	4	418 GR.				November 197	7
3.		PROPOSED CASIN	G AND	CEMENTING PROGRA	M		
SIZE OF HOLK	SIZE OF CASING	WEIGHT PER PO	от Т	SETTING DEPTH		QUANTITY OF CEMEN	•
9"	7 5/8"	24#		180'	Cemen	ted back to su	
6 3/4"	41,"	9.5#		total depth		ted 150' above	
	and the transfer and are the first of the parameters that the second sec					carbon zone	111911030
	3		.	j			
716	P	rojected tons	:	Surface Ma	ncos Si	hale	
)[[EIVFII S		از الایس	736 Da	kota		
NOV	29 1977	•			dar Mt		
	20				ckhorn	· · · · · · · · · · · · · · · · · · ·	
	M'MARIN AT	8			rrison		
	(0)		1.	150 Sa	1t Wasl	h gair	
Vo~	CITY	na. New Yangawayan Kabupatèn Bangaran			فالمعار المعين	n de la companya de La companya de la co	eran eran eran eran eran eran eran eran
2/1	9111					ල වරයට පුරමින්නු ලැබුමුම්ලිද සුපාර වේ පුර	
See attached	d Savan and Ti	welve Point P		State of Utal	h Don	artment of Natur	
See accached	a seven and i	weive roint P	rogra	Uvision of C	m Ca-	arment of Natur	al Resources
land the street of the same	$\frac{1}{2} \left(\frac{1}{2} \right) \right) \right) \right) \right)}{1} \right) \right)}{1} \right) \right) \right)} \right) \right)}$	galanga kemilih dibi		1588 West &	n, Gas	arunent of Natur , and Mining	
	No			, , , , , , , , , , , , , , , , , , ,	e-21113 1 6	2177171	
	NO	TICE OF APP	ROVA	Salt Lake Cit	y, Utah	84116	
ABOVE SPACE DESCRIBE				ug back, give data on pre			
ne. If proposal is to deventer program, if any	iriil or decpen directi	anally, give pertinent	data or	subsurface locations and	i measured	and true vertical depths	. Give blowout
		9					
1/2-	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		, ,	manal Managan		0-4-6	2 1077
RIGNED ALC	N/W	ust Tu	.e176	eneral Manager		DATE UCTODE	er 3, 1977
(This space for Feder	al or State office use)		T 170 T 1 cyclastic mass in				
PERMIT NO.				APPROVAL DATE			
(0010-00	DIE W CHY	un) = 1077
APPROVE QRIG. SG	U.) E. W. GUTI	Y I Y	, DI	STRICT ENGINEE	R	DATE _NOV ?	2 5 1977

OPERA	TOR _ <i>["["(</i>	0	-	<u> </u>		+	1			_					_	-			DAT	E <i>/Q/</i>	4///
LEASE	# 11-03	759	6	nest	ruction		; Poł	luti	οn		Dri Pro			on			nspo ratio		Accid	ants	Other
WELL-	NO. 14-3	?	<u> </u>		1	+	T	T		 -					→	-					
LOC.날	旨 SEC.	14						1	etc.)		3)		5			·			. 1.		
	1/5 R.2	3E			Others (pump stations, etc.)						Fluid removal (Prod. wells, facilities)		Noise or obstruction of scenic views	Mineral processing (ext. facilities)				,			
	Gland ST	- 1			33.				900		i:		V	Ξ							
FIELD	Smill of	I Jak		nes	iè	1080		Į	5		5		97.	9	İ			•			
	GOOD WI	UCOL	6	Transmission lines, pipelines	2 2 2 C	inok dispo	Liquid effluent dischards	1	Others (toxic gases, noxious gas		€.		fsc	=	\cdot						
USGS_	WISON	<u> </u>	ŏ	ä	900	چ	Ç	9	93,		₹.	2	0	9						2	
BLM _	CUPHUL		ir.	83	101] =) P	l a	036		rod	970	i ti	ing					. X	₹	
REP: Z DIRT	CAN H CHI	<i>istons</i>	33,0	Ē	000	9		dis	g S		9	9 C	ž	659					90	1 2	
	ENHANCES	-i	Roads, bridges, airports	io	Others (pump stations compressor s	Burning noise	5	Subsurface disposal	ŏ	Well drilling	OV0	Secondary Recovery	ps	8					and leaks	Operational failure	
	NO IMPACT		مَّ	nise.		5	0	5	3	E	em	dor	ō	8		6	Pipelines	o	ō	Ě	
	MINOR IMPAC	т .	ds,	กรูบ	18.	Ė	D.D	DSU	ner	=	idr	Con	158) er	e	Trucks	iled	Others	Spills	910	
	MAJOR IMPAC		8	F 6		ā	Lig	Sul	5	Š	금	So	Š	Z	Others	Ē	P i	ō	Śp	o	
Fore	strv	A/A	T	+		-	İ	1	Ī	十	П			.	7					 	
Graz		10/1	7		/	7	1	1	-	7					7	7			7	7	
	erness	MA				1	Ť	\top		1											
Agri	culture	MA					T														
	dential-Comm	erg/A	Т			+	1	1		1											
	ral Extractio																				
	eation	/ /	1	4		1/	1			1				_	_	Ź.				-/-	
	nic Views		Z		4_	14	1	┼		1	\vdash		\vdash	-	+						
Park	s, Reserves, Iments	N/A				-															<u> </u>
	orical Sites	5 180 miles			Vone		NO.	11	22					\Box	\Box						
Uniq	ue Physical Fe	stuffeff							_	L					_	_					
Bird	\$		1			1				1				\perp	_	/					
Land	Animals		/		<u>/ </u>	1	1			1	1				_					/	ļ
Fish		NA					╽,			_				_+	_						
<u> </u>	ingered Specie				1611	9_	1	110	W	<i>71.</i>				-	-	_				-	
	s, Grass, Etc.		Z	Щ,	4	4	4	-	<u> </u>	1		_	\vdash	4	+	<u>/</u>					
	ace Water	NA	-			+	-	+-	<u> </u>	-	\vdash		$\vdash \dashv$	-	+						1
	erground Wate	37 3	 ,		_	+,	1	+	-	1	-			-	+	7			7	/	
٠	Quality		4			4	+	1	-	1	-		\vdash	+	+	/			-	1	
Eros			1	1 1	<u> </u>	+	+	+-	-	1	-		\vdash	\dashv	+	_				-	
	ct On Local Ec	20002	-	1-1		+	+-	十	 	1	+		H		十	_					
15116	or on Locuic		0							0						0					
			L	-	_	- -		1	_	-	-	_			4						-
Safe	ty&Health		1			1	'		1	1						1			/	/	
			1						<u> </u>	4					_	_			-	! !	
Othe		,		\mathbf{I}	,			,							İ			-			,
	Do N	gle:	:	14	e 0	AI	X/	4	1	26		1	7	2		15	4	15/	19	ster	1 mou
2	rèa d'A		.		1-				Y'		`	_			1			<i></i>			
かー	wal w	o mai	权	Val	d	1	4/	化	1	12	1	5	17								

EIA NO
LEASE 11-03759 DATE 10/5/77
WELL NO. Vukosovich - Nuggett 14-3
LOCATION: NW & NW & SEC. 14 T. 115 R. 23 E SLBEM
LOCATION: NW & NW & SEC. 14 T. 115 R. 23 E SLB & M FIELD Wildcat county Grand STATE Utah.
ENVIRONMENTAL IMPACT ANALYSIS - ATTACHMENT 2-B
I. PROPOSED ACTION
PROPOSES TO DRILL AN OIL AND
GAS TEST WELL WITH ROTARY TOOLS TO ABOUT 1250 FT. TD. 2) TO CONSTRUCT A INCLUDED WITH ROTARY TOOLS TO ABOUT 1250 FT. TD. 2) TO CONSTRUCT A INCLUDED WITH IN PAGENCE DRILL PAD 200 FT V 150 FT AND A DESERVE DIT 21.50 FT V 100 FT SAR
DRILL PAD 200 FT. X 150 FT. AND A RESERVE PIT ~ 50 FT. X 100 FT. Set
3) TO CONSTRUCT ~ 16 FT. WIDE X ~ 1500 FMILES ACCESS ROAD AND UPGRADE X
FT. WIDE X MILES ACCESS ROAD FROM AN EXISTING AND IMPROVED ROAD. TO
GAS OIL PRODUCTION FACILITIES ON THE DISTURBED AREA FOR THE DRILL PAD
AND TRUCK TRANSPORT THE PRODUCTION THROUGH A PIPELINE TO A TIE-IN IN
SECTION I. R. not determined at this time
2. LOCATION AND NATURAL SETTING (EXISTING ENVIRONMENTAL SITUATION).
(I) TOPOGRAPHY: A ROLLING HILLS DISSECTED TOPOGRAPHY DESSERT
OR PLAINS STEEP CANYON SIDES NARROW CANYON FLOORS DEEP DRAINAGE
IN AREA SURFACE WATER
(2) VEGETATION: SAGEBRUSH PINION-JUNIPER PINE/FIR FARMLAND
(CULTIVATED) NATIVE GRASSES OTHER
Note BLM - would prefer ccco. use the southern
xisting opproach the site & defenitely not use the other
ord in source it is beginning to hegalors where

(3) WILDLIFE: DEER ANTELOPE ELK BEAR SMALL
MAMMA L BIRDS ENDANGERED SPECIES OTHER
(4) LAND USE: RECREATION LIVESTOCK GRAZING AGRICULTURE MINING INDUSTRIAL RESIDENTIAL OIL & GAS OPERATIONS
REF: BLM UMBRELLA EAR Grand Resource Area 8/13/1975 USFS EAR OTHER ENVIRONMENTAL ANALYSIS 3. Effects on Environment by Proposed Action (potential impact)
1) EXHAUST EMISSIONS FROM THE DRILLING RIG POWER UNITS AND SUPPORT TRAFFIC
ENGINES WOULD ADD MINOR POLLUTION TO THE ATMOSPHERE IN THE LOCAL VICINITY.
2) MINOR INDUCED AND ACCELERATED EROSION POTENTIAL DUE TO SURFACE
DISTURBANCE AND SUPPORT TRAFFIC USE.
3) MINOR VISUAL IMPACTS FOR A SHORT TERM DUE TO OPERATIONAL EQUIPMENT AND SURFACE DISTURBANCE.
4) TEMPORARY DISTURBANCE OF WILDLIFE AND LIVESTOCK.
5) MINOR DISTRACTION FROM AESTHETICS FOR SHORT TERM.
6)

ť,

	NOT APPROVING THE PROPOSED PERMIT THE OIL AND GAS LEASE GRANTS THE		
	EXCLUSIVE RIGHT TO DRILL FOR, MINE, EXTRACT, REMOVE AND DISPOSE OF ALL		
	GAS DEPOSITS.		
OIL AND	UND DEPOSITS:		
2)	DENY THE PROPOSED PERMIT AND SUGGEST AN ALTERNATE LOCATION TO MINIMIZE		
ENVIRON M	MENTAL IMPACTS. NO ALTERNATE LOCATION ON THIS LEASE WOULD JUSTIFY THIS		
ACTION.			
3)	LOCATION WAS MOVED TO AVOID		
LARC	SE SIDEHILL CUTS NATURAL DRAINAGE OTHER		
	then restalling Keep 200 ft from saction Line		
4)	PAD with be oriented with V-Door facing West		
5. <u>Adv</u>	verse Environmental Effects Which Cannot Be Avoided		
1)	MINOR AIR POLLUTION DUE TO EXHAUST EMISSIONS FROM RIG ENGINES AND SUPPORT		
TRAFFIC	C ENGINES.		
2)	MINOR INDUCED AND ACCELERATED FROSION POTENTIAL DUE TO SURFACE DISTURBANCE		
AND SU	PPORT TRAFFIC USE,		
3)	MINOR AND TEMPORARY DISTURBANCE OF WILDLIFE.		
4)	TEMPORARY DISTURBANCE OF LIVESTOCK.		
5)	MINOR AND SHORT-TERM VISUAL IMPACTS.		
6)			
6. DE	TERMINATION:		
	(THIS REQUESTED ACTION (DOES NOT) CONSTITUTE A MAJOR		
	FEDERAL ACTION SIGNIFICANTLY AFFECTING THE ENVIRONMENT IN THE		
	SENSE OF NEPA, SECTION 102(2) (C).		
DATE II	NSPECTED 10/5/77 W/ 11/4444		
	TOR James & William U. S. GEOLOGICAL SURVEY CONSERVATION DIVISION - OIL & GAS OPERATION	INSPEC	TOD: WHATAYIIIAI > IAIAAAATAI (TONSERVALIUN DIVISIUN "UIL & GAS UPERA

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING

FILE NOTATIONS ** Operator: Well No: T. <u>2/1</u> R. <u>23 E</u> County: Entered on N.I.D.: File Prepared: Completion Sheet: Card Indexed: VAPI Number: 43-019-30511 CHECKED BY: Administrative Assistant Remarks: 14-1, Swee; 14-2 - Sufw! 14-4-5wse Petroleum Engineer: Remarks: Hold for mer location spacing problem yet! with 260' offert. re 102-5- 1163.5 FM = 2608 FWL M INCLUDE WITHIN APPROVAL LETTER: Naverbar, Burvey Plat Required: Bond Required: Order No. 102-5 Surface Casing Change Rule C-3(c), Topographic exception/company owns or controls acreage within a 660' radius of proposed site /___/ Unit O.K. In 0.K. Rule C-3 / Other:

Letter Written/Approved

SCOTT M. MATHESON Governor

GORDON E. HARMSTON

Executive Director,

NATURAL RESOURCES

CLEON B. FEIGHT

Director



STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING 1588 West North Temple Salt Lake City, Utah 84116 (801) 533-5771

May 22, 1979

OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON
Chairman

JOHN L. BELL
C. RAY JUVELIN
THADIS W. BOX
CONSTANCE K. LUNDBERG
EDWARD T. BECK
E. STEELE MOINTYRE

CC COMPANY 1967 EAST 2700 SOUTH SALT LAKE CITY UT 84106

Re: Well No. Vukosovich Nuggett 14-3, Sec. 14, T. 21S, R. 23E, Grand County, UTAH

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the Order issued in Cause No. 102-5 dated November 2, 1964.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Geological Engineer

HOME: 876-3001 OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-019-30511.

Yours very truly,

DIVISION OF OIL, GAS, AND MINING

Cleon B. Feight, Director

/lw

cc: U. S. Geological Survey

Jack, a Mr. Lewis Wells may call you-he talked to Mike this morning Nout the approval of this Well + Mr. Wells is really up-set that it was approved. Mr. Wells owns the lease next to this one and he may want to hold a hearing if something isn't desde. This is all I Know- he wants to talk uf you 4/1/79 Falket to Sur Wells be due no affecting he can affect this well the same distance from his leaseline.

Form 9-331 (May 1963)	UNITED STATES PARTMENT OF THE INTER GEOLOGICAL SURVEY	SUBMIT IN TRIPLICATE* (Other instructions on reverse side)	Form approved Budget Bureau 5. LEASE DESIGNATION AS U-03759	No. 42-R1424.
SUNDRY (Do not use this form Use	NOTICES AND REPORTS (for proposals to drill or to deepen or plug "APPLICATION FOR PERMIT—" for such p	ON WELLS back to a different reservoir. proposals.)	6. IF INDIAN, ALLOTTER	OR TRIBE NAME
1. OIL GAS WELL X	OTHER	•	7. UNIT AGREEMENT NAM	
2. NAME OF OPERATOR NUGGETT VUKAS	OVICH	•	8. FARM OR LEASE NAME	
3. ADDRESS OF OPERATOR 3964 South St	ate Street, Salt Lake City location clearly and in accordance with any	, Utah 84107	9. WELL NO. 14-3 10. FIELD AND FOOL, OB	
At surface	1163.5 South of the Nor est Line, Section 14, T218	rth Line, 260.81 **	Cisco Area 11. SEC., T., R., M., OR BLI SURVEY OR ARMA	
14. PERMIT NO.	15. ELEVATIONS (Show whether DE	r, RT, GR, etc.)	12. COUNTY OR PARISH	18. STATE
43-019-30511	4418'		Grand	Utah
	heck Appropriate Box To Indicate N		Other Data	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WE	LL
FRACTURE TREAT SHOOT OR ACIDIZE	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CAS	
REPAIR WELL	ABANDON* CHANGE PLANS	SHOOTING OR ACIDIZING (Other)	ABANDONMENT	
(Other SPUDDED XX		(NOTE: Report results	of multiple completion on etion Report and Log form	Well *
17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work.) *	LETED OPERATIONS (Clearly state all pertinen is directionally drilled, give subsurface local			
$v_1^{t_1}$	· •		e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co	
				4.5% Spe
	•			
	e commence de la companya de la companya de la companya de la companya de la companya de la companya de la comp			
WELL SPUDDED	ON SEPTEMBER 6, 1979		and the most of the second second second second second second second second second second second second second	
	A Anna	g e r		
	SEP LOVET			
	W ZI W	*	· · · · · · · · · · · · · · · · · · ·	
18. I hereby certify that the fo	CIAL	AGENT	DATE 9/ 6 /79	
(This space for Federal or	State office use)			
APPROVED BYCONDITIONS OF APPROV	AL, IF ANY:		DATE	

·				
Form 9—1928 (Nov. 1977)	DEPARTMENT F THE INT		page / of Lease No:	
NATION A			21-03759	Y
NOTICE OF	F INCIDENTS OF NONCOMF	PLIANCE DETECTED	Date:	
				79
U.S.G.S. Office:	TERTION Blog Nugge		Time (24-hour clock):	
Address: 1745 W. 1700	25. Sh.C. 717 3964	S. STATE ST., SALT	Lake City, UT	84107
/ Site: 14-3 Sec. 14	To (comp	oany representative):	/ -	
THE FOLLOWI GEOLOGICAL	ING LIST OF INCIDENTS OF SURVEY INSPECTORS ON T	NONCOMPLIANCE WE	RE FOUND BY U.S.	
WARNING IS I	HEREBY GIVEN TO CORRECT	T THE FOLLOWING DE	EFICIENCIES:	
Incident of None	compliance (INC)	Corrective Action Take	n Date	
CONSUCTI	WG OPERATIONS	4		
WITHOUT	Cukeent			·
ROPEDVRL.				
			,	
FRILIEE TO	Couply with:			
OCER 22	21.18 8			
30 CFR	221.58 (a)			
			·····	
	(TE			·
	(II more space is	s needed attach separate she	eet)	····
YOU ARE HE	REBY ORDERED TO SUSPEN	ID (SHUT-IN) THE FOLI	OWING OPERATION(S):	-/
(Related INC ma			og conducted o	N TKIS
WELL UN	TIL THE APPROVAL	OF THE ROPLICA	ETIEN TO DEILL	
Signature of I'S	RESOLVED. G.G. Representative:	Date:	Time:	
Signature St. S	trepresentative.		26-79 14	00
Each incident of	noncompliance listed must be co	orrected within (7) days.		·····
ine date each in	cident of noncompliance was con	rected must be reported to	the U.S.G.S. office at the	

address shown within (γ) days from the date of this Notice.

No operation suspended by this order may be resumed until the corrective action has been inspected by the U.S.G.S.

Failure to suspend an operation as ordered, to correct the cited deficiencies within the prescribed time, or to report the corrective action within the prescribed time can result in further enforcement actions being taken in accordance with Title 30 Code of Federal Regulations.

AUTHORIZATION TO RESUME OPERATION

Signature of U.S.G.S. Representative:

Date:


Time:

Conservation Division
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

Certified Mail
Return Receipt Requested

Nuggett-Vukasovich 3964 So. State Street Salt Lake City, Utah 84107

Attn: Dean Christenson



Re: Vukasovich-Nuggett Well No. 14-3 NWs, NWs, Sec. 14, T. 21S., R. 23E. Grand County, Utah Oil & Gas Lease U-03759

Gentlemen:

The "Notice of Spud" received on the reference well indicates a spud date of September 6, 1979. A Sundry Motice dated September 4, 1979 with only one signed copy and not approved, proposes a change in plans for surface and production casings and requests approval of a 2200 ft. temporary gas line, on the lease, for well testing purposes.

The Application for Permit to Drill was approved November 25, 1977 in the name of C C Co., Operator. Conditions of Approval to the application, at that time, were that the approval was valid for 90 days. This is an administrative function. In 1979 Approvals were extended to a one year period from the date of approval. If activity has not commenced within the approval period the application must be resubmitted for approval. Under the 90-day administrative approval, this office would accept submittal of the Form 9-331C, only, for approval extensions. You have not followed this proceedure. The Application was approved to C C Co. not Vukasovich-Nuggett. Approval to the application had long expired under either concept. Your activities, then, are in trespass.

This office is not certain of Vukasovich-Nuggett but Mr. Vukasovich and Mr. Christenson are, or should be, aware of the approval validity period and the requirements under the Oil and Gas Operating Regulations.

Your request for the temporary gas line is denied until the Approval of the Application to Drill can be resolved. Any activity being conducted on this well must immediately cease. A shut-in order is attached. Please contact this office (address and phone number attached).

Sincerely yours,

(ORIG. SGD.) E. W. GUYNN

E. W. Guynn District Engineer

Attachment

cc: C C Co., Attn: Dean Christenson 1967 East 2700 South Salt Lake City. Utah 84106 (Certified Mail)

> Grand Resource Area Manager Bureau of Land Management P.O. Box M. Moab, Utah 84532

Division of 011, Gas & Mining, State of Utah Attn: Frank Hammer

DEPARTMENT OF NATURAL RESOURCES



	DIVISION OF OIL, GAS, AND MINING	5. LEASE DESIGNATION AND SERIAL NO.
	SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTER OR TRIBE NAME
1.	OIL GAS WELL OTHER	7. UNIT AGREEMENT NAME
2.	NAME OF OPERATOR	8. FARM OR LEASE NAME
8.	3964 South State Street SIC 84107	9. WELL NO.
4.	LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	10. FIELD AND POOL, OF FILDCAT
	1163.5' FNL4 260.8' FWL, NW NW	11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA
14.	PERMIT NO. 15. BLEVATIONS (Show whether DF, RT, GR, etc.)	Sec. 14 215, 23E 12. COUNTY OR PARISH 18, STATE
	43-019-30511 4418' ER	GRAND Utah
16.	Check Appropriate box to indicate Nature of Notice, Report, or C	
	TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other)	REPAIRING WELL ALTERING CASING ABANDONMENT®
	DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work.) If well is directionally drilled, give subsurface locations and measured and true vertical ment to this work.) Well Raddywill send in Well (plugged a abandoned)	i depths for all markers and zones perti-
18.	I hereby certify that the foregoing is true and correct SIGNED MAN TITLE (IN MY).	DATE 11 20/79
	APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUBMIT IN DUPL.

(See other in structions of

Form approved. Budget Bureau No. 42-R355.5

tructions on		
everse side)	5. LEASE DESIGNATION	AND SERIAL
	111-03	フィン

	WELL CO	MPLETION C	OR RECOM	IPLETION	REPORT A	AND LO	G *	. IF INDIAN, AL	LOTTEE OR TRIBE NAM!	i
le.	TYPE OF WELL	L: OIL WELL	GAS WELL	DRY	Other	1	7	UNIT AGREEME	NT NAME	
b.	TYPE OF COMP				Other			3 4	មីស ក្រុម	
	WELL X	WORK DEEP-	PLUG BACK	DIFF. RESVR.	Other		8	FARM OR LEAD	E NAME	ja j
2. 1	NAME OF OPERATO			100	7	1	·		. 	
4.5	X. L.	cett le	" A day -	. / C.C.('AMADA	nv)	9	WELL NO.	Luka-Minge	۲
3.	ADDRESS OF OPER	Laora	3		- On op o	** 		14-	3 1	
	7.01	64 50	- Stail	* 5	LC, 6	484	107 1	O. FIRLD AND PO	OL, OR WILDCAT	
	결약 등 작용	L (Report location	clearly and in ac	cordance with an	y State requir	ementa)		Cisco	aren	
	At surface	1163,53	Side	It him	260	811 5a	, 1 0/1	1. BEC., T., R., M	., OR BLOCK AND SURVEY	i
	At top prod. inte	erval reported below	· With	WALL EN	1122/	11 12 10/1	16	14.7	DIS POR	15
	44 4-4-1 4-4-1	Sa	me (1164' FA	IN NOW	A LAAT	~) ^			
4.7	At total depth	· · · · · ·	•							
		Sum		14. PERMIT NO		DATE ISSUED		2. COUNTY OR PARISH	13. STATE	
15.	DATE SPUDDED	16. DATE T.D. REAC	THED 17 DATE	COMPL (Pandy)		22 m		1216 1621	LIAT.	•
5	20 6, 1979			Direction (Reday)	/ 18	. elevations ((DP, RKB, RT,	GR, ETC.)	4420	
20. 1	OTAL DEPTH, MD		BACK T.D., MD & T	VD 1/22, N MC	TIPLE COMPL.	1 23. IN	TERVALS	ROTARY TOOLS	CABLE TOOLS	
	1300			How N			ILLED BY	Palares		
24.		VAL(8), OF THIS CO.	MPLETION-TOP,	BOTTOM, NAME (MD AND TVD)*		->	CKANY	25. WAS DIRECTIONAL	
14 i 17a		NON	_					25 4	SURVEY MADE	
10	•									
26.	TYPE ELECTRIC A	ND OTHER LOGS RUN						27.	WAS WELL CORED	v
			NICA			*			1000	7
28.			CASIN	G RECORD (Rep	ort all strings	set in well))
44	CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET	(MD) HO	LE SIZE	CE	EMENTINGSREC	ORD	AMOUNT PULLED	~
	85/8	32	150	12	21/4	10	Sing	Lace	acas	ر
	711	-23.5L	1 1100	3	77/8	Canuni	Til le	142	11:0000	Ξ
Ÿ										-
0		.1						in the second	- D. 新華 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	ن ت
29 .		LII	NER RECORD			30.	TU	ING RECORD		-
- T	BIED	TOP (MD) BO	OTTOM (Mb)	SACKS CEMENT*	SCREEN (MI	D) SIZE	DEP	TH SET (MD)	PACKER SET (MD)	
	_		1390					1 12		
31	PERFORATION REC	ORD (Interval, size	and numbers		<u> </u>		100	<u> </u>	1 7 5 5 5	
TETT		,	and number;		82.			E, CEMENT SQ		
	$\mathcal{L}_{\mathcal{L}}$	on			DEPTH INT	ERVAL (MD)	AMOUR	IT AND KIND OF	MATERIAL USED	170
							- / /	 		
3 1		•				 	- / L · · ·	~ 7 (/ .		
			•							
88.*		•		PRO	DUCTION	· · · · · · · · · · · · · · · · · · ·				
PATE	FIRST PRODUCTI	ON PRODUCT	ION METHOD (FI	owing, gas lift, p		and type of pu	imp)		UB (Producing or	V
× 1	YLCINE					t ,		shut-in)	TYA	
DATE	OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OILBBL.	GAS-M	icr. v	VATER-BBL.	GAS-OIL RATIO	棩
FLOW	. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL-BBI.	GAS—	MCF.	WATER-BB	L. OIL	GRAVITY-API (CORR.)	
84.	DIBPOBITION OF GA	AS (Sold, used for fu	el, vented, etc.)			······································	T	EST WITNESSED	BY, 2 S S S S S S S S S S S S S S S S S S	
4 P		A community of the second of t						** *** *** ***		
φĐ.]	LIST OF ATTACHS	ENTS							n 14 x 3 f a 14 4	
86	hereby coudie-	Mat the	 				- Company to the comp			
7	erent certify	that the foregoing s	ing attached info	ornation is comp	iete and corre	ect as determin	ned from all		· / · · /	
	SIGNED	Mans	(hr	TITLE	Men.	i		DATE	12/12/7	7
المسي	8. 17 km s/d				7				/ /a	

submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal Any necessary special instructions concerning the use of this form and the number well completion report and log on all types of lands and See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. SNOTTONE or both, pursuant to applicable Federal and/or State laws and regulations. and/or State office.

If not filed prior to the time this summary record is submitted propies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure testspand directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Consult local State

tem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements.

tems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing Submit a separate report (page) on this form, adequately identified, attachments. rem 18: Indicate which elevation is used as reference (where not otherwise shown), for depth measurements given in other spaces on this form and in any (if any) for only the interval reported in Item 33. nterval, or intervals, top(s), bottom(s) and name(s) or Federal office for specific instructions.

for each additional interval to be separately produced, showing the additional data pertinent to such interval.

ultiple stage cementing and the location of the cementing tool. (See instruction for items 22 and 24 above.) "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and tem 33: Submit a separate completion report on this form for each interval to be separately produced. |tem 29:

NAME AND COURSE OF STATES. 202 FE OFESATOR. 203 FE OFESATOR. 204 Course from Separa Color. 205 Course from Separa Color. 206 Course from Separa Color. 207 Course from Separa Color. 208 Course from Separa Color. 208 Course from Separa Color. 209 Course from Separa Color.
The control of the co
The same of the sa
STREET OF THE PROPERTY OF THE STREET OF THE
ACCUST THE WAY OF THE CONTROL OF THE
CONCESSION OF CO
1 G14 1 2515 051
DESCRIPTION, CONTENTS, SAME
S S S S S S S S S S S S S S S S S S S
MOLLON
April 1999 Secretary Notes and the secretary
TEST HOLES TESTED COLCULATED COLCULATED STATE CASING PARTY CASING PART
SONETION OF OAS (Sold, was for fact, contess the
ereby certify that the foregoing and attached to the total the foregoing and attached to the total that the foregoing and attached to the foregoing attached to the foregoin



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

April 26, 1982

C. C. Company
Att: Dean Christensen
3964 South State
Salt Lake City, Utah 84107

Re: Well No. 14-3 Sec. 14, T. 21S, R. 23E. Grand County, Utah

Well No. Buckhorn Nugget 14-22B Sec. 14, T. 21S, R. 23E. Grand County, Utah

Gentlemen:

The above referred to wells have been currently under a temporarily abandoned status for six months or longer. Please inform this office of the current status of these well locations and send in the necessary required papers.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS AND MINING

ari Jurse

Cari Furse Clerk Typist



4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

April 22, 1983

C. C. Company Att: Dean Christensen 3964 South State Street Salt Lake City, Utah 84107

2nd NOTICE

Re: Well No. # 14-3 Sec. 14, T. 21S, R. 23E. Grand County, Utah

> Well No. Buckhorn Nugget # 14-22B Sec. 14, T. 21S, R. 23E. Grand County, Utah

Dear Mr. Christensen:

The above referred to wells have been currently under a temporarily abandoned status for six months or longer. Would you be kind enough to inform this office of a change in status, or let us know if they are still temporarily abandoned, submitted on a Sundry Notice (Form OGC-1B, enclosed).

**You are in violation with the above rule. If you wish to continue developing business in the State of Utah, compliance with pertinent rules and regulations is essential. Further delay in your attention to this matter may result in punitive action. Please submit the required information as stated above within fifteen (15) days.

Thank you for your prompt attention to the above submittal.

Respectfully,

DIVISION OF OIL, GAS AND MINING

Cari Furse

Well Records Specialist

CF/cf Enclosure



4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

June 9, 1983

C. C. Company

Att: Dean Christensen 3964 South State Street Salt Lake City, Utah 84107

Re: See attached list of wells

Gentlemen:

Our records indicate you have not responded to a second notice (copies attached) to comply with lawful rules of this agency.

It is policy to bring violations to an early conclusion; therefore, your violation is being forwarded to the Attorney General's office for legal action to compel compliance. Such action will include a public hearing before the Board of Oil, Gas and Mining.

You should be aware that maximum civil penalty can amount to \$10,000 for each day of violation.

If our records are in error, please contact me immediately in order to stop proceedings.

Respectfully,

DIVISION OF OIL, GAS AND MINING

Norman C. Stout

Administrative Assistant

NS/cf

cc: R. J. Firth, DOGM

Barbara Roberts, Attorney Generals Office

Well No. # 14-3 Sec. 14, T. 21S, R. 23E. Grand County, Utah

Well No. Buckhorn Nugget # 14-22B Sec. 14, T. 21S, R. 23E. Grand County, Utah

Well No. Petro X # 16-1 Sec. 16, T. 21S, R. 23E. Grand County, Utah

Well No. Petro X # 30-1 Sec. 30, T. 21S, R. 24E. Grand County, Utah CCCo 3964 South State Salt Lake City, Utah 84107

State of Utah Natural Resources & Energy Oil, Gas, & Mining 4241 State Office Building Salt Lake City, Utah 84114

Attn: Cari Furse

Well Records Specialist

4 August 1983.

RE: Well #14-3

Section 14, T21S, R23E

Buckhorn-Nuggett 14-22B Section 14, T21S, R23E Grand County, Utah

Gentlemen:

Sorry for the delay, but I have been out of Town since April 9, 1983.

The above wells will both he plugged and abandoned insofar as CCCo is concerned. The actual majority working interest owners reside in Moab, Utah and the final decision is theirs. CCCo has the necessary bonds, etc., to complete the plugging, but we will need approximately four weeks additional time to get the Working Interest Owners decision.

Thank you for your patience.

Sincerely,

Dean H. Christensen

Manager

Form	9-331
(May	1963)

14. PERMIT NO.

16.

DEPARTMENT OF THE INTERIOR VOTRE SIDE GEOLOGICAL SURVEY

SUBMIT IN TRIPL

12. COUNTY OR PARISH

	•	-	•		: ·			
a	TM IN	DIA	v .	ALL	OTTE	1	 133 V	

SUNDKY	MOLICE?	AND	KEPOK15	ON	WELLS
		.1111			11.09

	The state of the s	
	OIL GAN YN OFHER	7. UNIT AGRESMENT NAME
2.	VUKASOVICII DRILLING	8, FARM OR LEARN NAME
3.	2001 Gateway Place, Suite 750 W, San Jose, California 95110	9. WBLL NO. VUK 14-3
ŧ.	LOCATION OF WILL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	Cisco Area
		Sec 14, T21S, R23E

15. ELEVATIONS (Show whether DF, RT, GR, etc.) **GRAND**


	Check	Appropriate Box To I	ndicate N	Nature of Motice, I	Report, or Oth	er Data		
Nort	ICH OF I	TENTION TO:			. subsequen	T REPORT	or:	10
TEST WATER SHUT-OFF		PULL OR ALTER CASING		WATER SHUT-0)FF		REPAIRING WELL	1.53
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TRE	ATMENT		ALTERING CASING	
SHOOT OR ACIDIZE		ABANDON*	XX	SHOOTING OR	ACIDIZING		ТИВМИО ОКАВА	
REPAIR WELL		CHANGE PLANS	\\	(Other)	<u>'. </u>			
(Other)				(Nork: Complet)	Report results of ion or Recompleti	multiple on Report	completion on Wel	1.5

17. DESCRIBE PROPOSED OR COSPULETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and some pertinent to this work.) *

This well was drilled to a depth of 1250'. The Operator proposes to plug this well from the ton with 84 sks of cement and a plug in the surface casing (120').

A copy of the cementing record will be submitted with the subsequen report of plugging.

* 901115 per 6 fm/Theresa PA'd 8-31-83.



						人名西德 化异氯基甲酸医甲酰 医复杂
18	I hereby certify that the foregoing is true and correct	TITLE	AGENT			8/29/83
=	(This space for Federal or State office use)					
t	APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE _	4.	3 (3)	 	DATE

UNITED STATES

SUBMIT IN TRIPLICATES

GEOLOGICAL SURVEY	RIOR (Other Instructions	5. LEASE DESIGNATION AND SERIAL N U-03759
SUNDRY NOTICES AND REPORTS (Do not use this form for proposals to drill or to deepen or pit Use "APPLICATION FOR PERMITS," for suc	ON WELLS	6. IF INDIAN, ALLOTTER OR TRIBE WA
OIL GAS VELL VY OTHER	n proposais,	7. Unit AGRESMENT MAME
VUKASOVICH DRILLING		8. FARM OR LEASE NAME
2001 Gateway Place, Suite 750 W, San J	ose, California 95	9. WELL NO. 110 VUK 14-3
See also space 17 below.) At surface	my state requirements.	Cisco Arga 11. sec., T., R., M., OR BLE, AND
		Sec 14, T21S, R23E
PERMIT NO. 15. ELEVATIONS (Show whether	DF, RT, GR, etc.)	12. COUNTY OR PARISH 18. STATE GRAND UTAH
Check Appropriate Box To Indicate	Nature of Notice, Report	t, or Other Data
NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE THEAT SHOOT OR ACIDIZE ABANDON* CHANGE PLANS (Other)	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZIN	
DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertin proposed work. If well is directionally drilled, give subsurface to nent to this work.). This well was drilled to a plug this well from the top with 84 sks (120').	depth of 1250'. To of cement and a p	he Operator proposes to lug in the surface casing.
A copy of the cementing recreport of plugging.	ord will be submit	ted with the subsequent
	A	
	DEC	SEUVEN -
		6 1 1983
	DIV. OF C	DIL, GAS & MINING
	•	The state of the s